

HD SPEZIAL

WORKSHOP ALLROUND CLEANER

HIGHLY CONCENTRATED

FOR STRONG SOILING

Description:

- Universally applicable
- Gentle to oil separators according to Ö-Norm B 5105
- Manually and mechanically applicable
- Pleasant scent
- Highly concentrated
- Cleans fast and is gentle to materials

Application area:

Special cleaner for strong soiling in the workshop, automotive and commercial vehicle area. Cleans fast and effortlessly and is gentle to materials. Universally applicable as high pressure cleaner, spray cleaner, ultrasonic cleaner, fuel pump and engine cleaner.

Anwendungshinweise / Dosierung:

High-pressure cleaning: 1000 ml / 10 l water
Manual car cleaning: 20-40 ml / 10 l water
Maintenance cleaning: 100-500 ml / 10 l water
Workshop cleaning: 50-100 ml / 10 l water
Plastering machine: 200-500 ml / 10 l water

Precautions:

Keep out of reach of children.
Wear protective gloves and eye protection / face protection.

Benefits for the user:

- Universally applicable
- Gentle to oil separators according to Ö-Norm B 5105
- Gentle to materials
- Manually and mechanically applicable

Restrictions in use:

The application to mucous membranes / conjunctiva of the eyes is absolutely to avoid. Also absolutely avoid contact to the skin.

Storage conditions:

HD Spezial can be stored in closed containers at 5-25 °C for at least 24 months.

Keep the container tightly closed. Protect from frost and direct sunlight.

Legal provisions:

HD Spezial is subject to the Chemicals Act, the detergents and GHS regulation as well as the transports regulations according to the transport of hazardous or dangerous goods.

Safety data sheet available on request.

Order data:

Article no.	Package	Carton	Pallet
3300-703-000	1000 ml spray bottle	12 bottles / ctn.	50 cartons
3300-060-000	10 l canister	-	60 canisters

Consultant service:

If you have any further questions, please do not hesitate to contact our consultant service under the management of Richard Schneider (sales manager):

Tel.: +49 (0)8393 92270-0

info@azett.de

